



Iowa Department of Public Health

Radiologic Technologist Qualification Worksheet

INTERIM

(Initial Qualifications met before 4/28/99)

___ General Radiography License - any State

___ General Certification - ARRT or ARCRT

NEED (1) OF THE FOLLOWING:

___ 40 hours mammography training
(attestation allowed prior to 10/1/94)

___ ARRT (M) (can't use if date is 4/28/99 to 1/1/01)

___ Mammography Certification
(CA, NV, or AZ)

___ Completion of prior FDA accepted course
(SEE GUIDANCE FOR LIST)

FINAL

(Initial Qualifications met after 4/28/99)

___ Iowa Permit to Practice # _____
Exp Date _____

___ General Certification - ARRT or ARCRT

NEED ALL OF THE FOLLOWING:

___ 40 hour Mammography Training
Course # / Name _____

___ 25 supervised patients = 12.5 hours
Facility Name _____

For State of Iowa use

INITIAL QUALIFICATION START DATE _____ **DIGITAL** **FS** **TOMO**
(10/01/94 or date initial qualification was completed)

ADDITIONAL MODALITY START DATE _____ **DIGITAL** **FS** **TOMO**
(8 hours initial training in each additional mammographic modality)

CONTINUING QUALIFICATIONS

___ 200 mammography exams in prior 24 months
(begins 24 months after start date)

___ 15 mammography specific CEU's in prior 36 months
(begins 36 months after start date)

NAME OF TECHNOLOGIST _____

PLACE OF EMPLOYMENT _____

NAME OF TRAINER _____ **PP #** _____

IDPH Approval _____

Date _____